


PVC PIPES



AW / AE PVC Pipes




ALP 0001

Code	Nominal Size		CL	Mean OD	Thickness (t)	Length (L)	Weight
	mm	(in)					
<i>ALP 0001-1</i>	15	(1/2")	E	21.35	1.7	5.8	0.95
<i>ALP 0001-2</i>	20	(3/4")	E	26.75	1.9	5.8	1.37
<i>ALP 0001-3</i>	20	(1")	E	33.55	2.2	5.8	2.00
<i>ALP 0001-4</i>	32	(1 1/4")	E	42.25	2.7	5.8	3.00
<i>ALP 0001-5</i>	40	(1 1/2")	E	48.25	3.1	5.8	3.74
<i>ALP 0001-6</i>	50	(2")	E	60.30	4.0	5.8	6.01
<i>ALP 0001-7</i>	40	(1 1/2")	D	48.25	2.5	5.8	3.30
<i>ALP 0001-8</i>	50	(2")	D	60.30	3.1	5.8	5.10
<i>ALP 0001-9</i>	80	(3")	D	88.90	4.6	5.8	10.90
<i>ALP 0001-10</i>	100	(4")	D	114.30	6.0	5.8	18.20
<i>ALP 0001-11</i>	155	(6")	D	168.25	8.8	5.8	39.40
<i>ALP 0001-12</i>	200	(8")	D	219.10	10.3	5.8	57.42
<i>ALP 0001-13</i>	50	(2")	C	60.30	2.5	5.8	3.86
<i>ALP 0001-14</i>	80	(3")	C	88.90	3.5	5.8	7.98
<i>ALP 0001-15</i>	100	(4")	C	114.30	4.5	5.8	13.19
<i>ALP 0001-16</i>	155	(6")	C	168.25	6.6	5.8	28.49
<i>ALP 0001-17</i>	200	(8")	C	219.10	7.8	5.8	44.01
<i>ALP 0001-18</i>	80	(3")	B	88.90	2.9	5.8	6.66
<i>ALP 0001-19</i>	100	(4")	B	114.30	3.4	5.8	10.07
<i>ALP 0001-20</i>	155	(6")	B	168.25	4.5	5.8	19.67
<i>ALP 0001-21</i>	200	(8")	B	219.10	5.3	5.5	30.25

Our Sales Personnel will answer all your queries! Call us @ **6744 1555** (Construction) or **6560 0866** (Marine/ Industrial)

PVC PIPES


uPVC Pipes for solid, waste and vents. SS 213 : 1976 Standard



ALP 0002

Code.	Nominal Size		Mean OD mm	Thickness (t) mm (min)	Length (L) M	Weight Kg/Igth (approx.)
	mm	(in)				
ALP 0002-1	32	(1 1/4")	36.35	2.1	5.8	2.00
ALP 0002-2	40	(1 1/2")	42.95	2.3	5.8	2.60
ALP 0002-3	50	(2")	55.85	2.4	5.8	3.60
ALP 0002-4	65	(2 1/2")	68.90	2.7	5.8	5.20
ALP 0002-5	80	(3")	82.50	3.0	5.8	6.70
ALP 0002-6	100	(4")	110.20	3.2	5.8	9.50
ALP 0002-7	150	(6")	160.25	4.0	5.8	17.30
ALP 0002-8	32	(1 1/4")	36.35	2.1	5.5	1.90
ALP 0002-9	40	(1 1/2")	42.95	2.3	5.5	2.50
ALP 0002-10	50	(2")	55.85	2.4	5.5	3.40
ALP 0002-12	65	(2 1/2")	68.90	2.7	5.5	4.90
ALP 0002-13	80	(3")	82.50	3.0	5.5	6.40
ALP 0002-14	100	(4")	110.20	3.2	5.5	9.00
ALP 0002-15	150	(6")	160.25	4.0	5.5	16.40

uPVC Pipes for underground drainage and sewer line. SS 272 : 1983 Standard



ALP 0003

Code.	Nominal Size		Mean OD mm	Thickness (t) mm (min)	Length (L) M	Weight Kg/Igth (approx.)
	mm	(in)				
ALP 0003-1	110	(4")	110.20	3.2	5.8	9.50
ALP 0003-2	160	(6")	160.25	4.0	5.8	17.30
ALP 0003-3	110	(4")	110.20	3.2	5.5	9.00
ALP 0003-4	160	(6")	160.25	4.0	5.5	16.40
ALP 0003-5	200	(8")	200.30	4.9	5.5	26.30
ALP 0003-6	250	(10")	250.35	6.1	5.5	41.00
ALP 0003-7	315	(12")	315.45	7.7	5.5	65.00
ALP 0003-8	400	(16")	400.50	9.8	5.5	105.00

Telecoms uPVC Pipes (Grey)

Code.	Nominal Size		Mean OD mm	Thickness (t) mm (min)	Length (L) M	Weight Kg/Igth (approx.)
	mm	(in)				
ALP 0004	110	(4")	110.20	3.2	6.0	10.3


Telecoms uPVC Pipes with one end socket (Grey)

Code.	Nominal Size		Mean OD mm	Thickness (t) mm (min)	Length (L) M	Weight Kg/Igth (approx.)
	mm	(in)				
ALP 0005	110	(4")	110.20	3.2	6.0	10.3

PUB uPVC Pipes with one end socket (Grey)


Code.	Nominal Size		Mean OD mm	Thickness (t) mm (min)	Length (L) M	Weight Kg/Igth (approx.)
	mm	(in)				
ALP 0006	110	(4")	110.20	3.2	6.0	10.3
ALP 0007	155	(6")	168.25	4.5	6.0	21.7

PVC PIPES
AW / AE PVC Pipes




Code.	Nominal Size		CL	Mean OD	Thickness (t)	Length (L)	Weight
	mm	(in)					
ALP 0008-1	13	(1/8")	VP (AW)	18	2.2	5.5	0.96
ALP 0008-2	16	(1/2")	VP (AW)	22	2.7	5.5	1.40
ALP 0008-3	20	(3/4")	VP (AW)	26	2.7	5.5	1.70
ALP 0008-4	25	(1")	VP (AW)	32	3.1	5.5	2.50
ALP 0008-5	30	(1 1/4")	VP (AW)	38	3.1	5.5	3.00
ALP 0008-6	40	(1 1/2")	VP (AW)	48	3.6	5.5	4.40
ALP 0008-7	50	(2")	VP (AW)	60	4.1	5.5	6.20
ALP 0008-8	65	(2 1/2")	VP (AW)	76	4.1	5.5	8.00
ALP 0008-9	75	(3")	VP (AW)	89	5.5	5.5	12.10
ALP 0008-10	100	(4")	VP (AW)	114	6.6	5.5	18.80
ALP 0008-11	150	(6")	VP (AW)	165	8.9	5.5	36.90
ALP 0008-12	200	(8")	VP (AW)	216	10.3	5.5	55.70
ALP 0008-13	250	(10")	VP (AW)	267	12.7	5.5	85.20
ALP 0008-14	300	(12")	VP (AW)	318	15.1	5.5	120.80
ALP 0008-15	13	(3/8")	VU (AE)	18	1.8	5.8	0.84
ALP 0008-16	16	(1/2")	VU (AE)	22	1.8	5.8	1.04
ALP 0008-17	20	(3/4")	VU (AE)	26	1.8	5.8	1.25
ALP 0008-18	25	(1")	VU (AE)	32	1.8	5.8	1.60
ALP 0008-19	30	(1 1/4")	VU (AE)	38	1.8	5.8	2.00
ALP 0008-20	40	(1 1/2")	VU (AE)	48	1.8	5.8	2.40
ALP 0008-21	50	(2")	VU (AE)	60	1.8	5.8	3.10
ALP 0008-22	65	(2 1/2")	VU (AE)	76	2.2	5.8	4.80
ALP 0008-23	75	(3")	VU (AE)	89	2.7	5.8	6.70
ALP 0008-24	100	(4")	VU (AE)	114	3.1	5.8	10.50
ALP 0008-25	150	(6")	VU (AE)	165	5.1	5.8	22.90
ALP 0008-26	200	(8")	VU (AE)	216	6.5	5.5	36.27
ALP 0008-27	250	(10")	VU (AE)	267	7.8	5.5	52.36
ALP 0008-28	300	(12")	VU (AE)	318	9.2	5.5	73.58
ALP 0008-29	350	(14")	VU (AE)	370	10.5	5.5	97.77

FITTINGS SS 141




90° Elbow

Code.	Nom. Size MM (in)	Dimension(MM)	
		H1	L1
ALP 0009-1	15 (1/2")	30	43
ALP 0009-2	20 (3/4")	35	50
ALP 0009-3	25 (1")	40	58
ALP 0009-4	32 (1 1/4")	44	65
ALP 0009-5	40 (1 1/2")	55	82
ALP 0009-6	50 (2")	63	96
ALP 0009-7	80 (3")	64	120
ALP 0009-8	100 (4")	84	155




90° Reducing Elbow

Code.	Nom. Size MM (in)	Dimension(MM)			
		H1	H2	L1	L2
ALP 0010-1	20 x 15 (3/4" x 1/2")	35	30	43	50
ALP 0010-2	25 x 15 (1" x 1/2")	40	30	43	58
ALP 0010-3	25 x 20 (1" x 3/4")	40	35	50	58




90° Faucet Elbow c/w Bracket

Code.	Nom. Size MM (in)	Dimension(MM)				
		H1	S1	S2	L2	M(BSP)
ALP 0011	15 (1/2")	24	30	22	40	1/2"



45° Elbow


Code.	Nom. Size MM (in)	Dimension(MM)		
		@	H1	L1
ALP 0012-1	15 (1/2")	45	30	38
ALP 0012-2	20 (3/4")	45	35	44
ALP 0012-3	25 (1")	45	40	50
ALP 0012-4	32 (1 1/4")	45	44	60
ALP 0012-5	40 (1 1/2")	45	55	70
ALP 0012-6	50 (2")	45	63	81
ALP 0012-7	80 (3")	45	64	82
ALP 0012-8	100 (4")	45	/	/
ALP 0012-9	15 (1/2")	45	30	38



Socket (Coupling)


Code.	Nom. Size MM (in)	Dimension(MM)	
		H1	L1
ALP 0013-1	15 (1/2")	30	65
ALP 0013-2	20 (3/4")	35	77
ALP 0013-3	25 (1")	40	87
ALP 0013-4	32 (1 1/4")	44	95
ALP 0013-5	40 (1 1/2")	55	117
ALP 0013-6	50 (2")	63	133
ALP 0013-7	80 (3")	64	155
ALP 0013-8	100 (4")	93	200
ALP 0013-9	150 (6")	136	300

FITTINGS
SS 141




Reducing Socket

Code.	Nom. Size MM (in)	Dimension(MM)		
		H1	H2	L1
<i>ALP 0014-1</i>	20 x 15 (3/4" x 1/2")	35	30	74
<i>ALP 0014-2</i>	25 x 15 (1" x 1/2")	40	30	80
<i>ALP 0014-3</i>	25 x 20 (1" x 3/4")	40	35	84
<i>ALP 0014-4</i>	32 x 15 (1 1/4" x 1/2")	44	30	84
<i>ALP 0014-5</i>	32 x 20 (1 1/4" x 3/4")	44	35	93
<i>ALP 0014-6</i>	32 x 25 (1 1/4" x 1")	44	40	93
<i>ALP 0014-7</i>	40 x 15 (1 1/2" x 1/2")	55	30	58
<i>ALP 0014-8</i>	40 x 20 (1 1/2" x 3/4")	55	35	64
<i>ALP 0014-9</i>	40 x 25 (1 1/2" x 1")	55	40	114
<i>ALP 0014-10</i>	40 x 32 (1 1/2" x 1 1/4")	55	44	114
<i>ALP 0014-11</i>	50 x 15 (2" x 1/2")	/	/	/
<i>ALP 0014-12</i>	50 x 20 (2" x 3/4")	63	35	114
<i>ALP 0014-13</i>	50 x 25 (2" x 1")	63	40	114
<i>ALP 0014-14</i>	50 x 32 (2" x 1 1/4")	63	44	116
<i>ALP 0014-15</i>	50 x 40 (2" x 1 1/2")	63	55	136
<i>ALP 0014-16</i>	80 x 50 (3" x 2")	50	36	100
<i>ALP 0014-17</i>	100 x 50 (4" x 2")	60	36	116




Valve Socket

Code.	Nom. Size MM (in)	Dimension(MM)				(in)
		H1	L1	L2	M(BSP)	
<i>ALP 0015-1</i>	15 (1/2")	30	54	18	1/2"	
<i>ALP 0015-2</i>	20 (3/4")	35	64	20	3/4"	
<i>ALP 0015-3</i>	25 (1")	40	70	20	1"	
<i>ALP 0015-4</i>	32 (1 1/4")	44	78	22	1 3/4"	
<i>ALP 0015-5</i>	40 (1 1/2")	55	91	22	1 1/2"	
<i>ALP 0015-6</i>	50 (2")	63	104	26	2"	
<i>ALP 0015-7</i>	80 (3")	71	118	40	3"	
<i>ALP 0015-8</i>	100 (4")	60	111	40	4"	



Faucet Socket


Code.	Nom. Size MM (in)	Dimension(MM)				(in)
		H1	H2	L1	L2	
<i>ALP 0016-1</i>	15 (1/2")	17	30	52	32	1/2"
<i>ALP 0016-2</i>	20 (3/4")	19	35	59	38	3/4"
<i>ALP 0016-3</i>	25 (1")	21	40	68	44	1"
<i>ALP 0016-4</i>	32 (1 1/4")	26	30	60	26	1 1/4"
<i>ALP 0016-5</i>	40 (1 1/2")	27	32	66	30	1 1/2"
<i>ALP 0016-6</i>	50 (2")	27	37	72	42	2"
<i>ALP 0016-7</i>	80 (3")	35	51	94	44	3"
<i>ALP 0016-8</i>	100 (4")	40	60	112	51	4"



Reducing Bush

Code.	Nom. Size MM (in)	Dimension(MM)		
		D1	D2	H
<i>ALP 0017-1</i>	20 x 15 (3/4" x 1/2")	26.8	18.3	20.5
<i>ALP 0017-2</i>	25 x 15 (1" x 1/2")	33.3	21.5	23.6
<i>ALP 0017-3</i>	25 x 20 (1" x 3/4")	33.3	24.5	23.6
<i>ALP 0017-4</i>	32 x 25 (1 1/4" x 1")	42.2	26.8	27.5
<i>ALP 0017-5</i>	40 x 25 (1 1/2" x 1")	48.1	26.8	31.4
<i>ALP 0017-6</i>	40 x 32 (1 1/2" x 1 1/4")	48.1	34.6	31.4
<i>ALP 0017-7</i>	50 x 25 (2" x 1")	60.3	26.8	36.8
<i>ALP 0017-8</i>	50 x 32 (2" x 1 1/4")	60.3	34.6	36.8
<i>ALP 0017-9</i>	50 x 40 (2" x 1 1/2")	60.3	48.1	36.8
<i>ALP 0017-10</i>	80 x 50 (3" x 2")	88.9	56.7	50.4


FITTINGS SS 141



Equal Tee

ALP 0018


Code.	Nom. Size MM (in)	Dimension(MM)		
		H1	L1	L2
ALP 0018-1	15 (1/2")	26	84	42
ALP 0018-2	20 (3/4")	35	100	50
ALP 0018-3	25 (1")	40	116	58
ALP 0018-4	32 (1 1/4")	44	130	65
ALP 0018-5	40 (1 1/2")	55	164	82
ALP 0018-6	50 (2")	63	192	96
ALP 0018-7	80 (3")	/	/	/
ALP 0018-8	100 (4")	/	/	/



Reducing Tee End Cap

ALP 0019


Code.	Nom. Size MM (in)	Dimension(MM)			
		H1	H2	L1	L2
ALP 0019-1	20 x 15 (3/4" x 1/2")	21	19	64	39
ALP 0019-2	25 x 15 (1" x 1/2")	24	20	72	40
ALP 0019-3	25 x 20 (1" x 3/4")	24	25	86	42
ALP 0019-4	32 x 15 (1 1/4" x 1/2")	27	17	105	45
ALP 0019-5	32 x 20 (1 1/4" x 3/4")	31	22	96	45
ALP 0019-6	32 x 25 (1 1/4" x 1")	31	24	96	45
ALP 0019-7	40 x 15 (1 1/2" x 1/2")	55	30	163	54
ALP 0019-8	40 x 20 (1 1/2" x 3/4")	55	35	163	62
ALP 0019-9	40 x 25 (1 1/2" x 1")	55	40	163	67
ALP 0019-10	40 x 32 (1 1/2" x 1 1/4")	55	44	163	71
ALP 0019-11	50 x 15 (2" x 1/2")	63	30	192	63
ALP 0019-12	50 x 20 (2" x 3/4")	63	35	192	68
ALP 0019-13	50 x 25 (2" x 1")	63	40	192	73
ALP 0019-14	50 x 32 (2" x 1 1/4")	63	40	192	78
ALP 0019-15	50 x 40 (2" x 1 1/2")	63	55	192	88
ALP 0019-16	80 x 50 (3" x 2")	/	/	/	/
ALP 0019-17	100 x 50 (4" x 2")	60	38	189	100
ALP 0019-18	100 x 80 (4" x 3")	60	63	222	127



End Cap

ALP 0020

Code.	Nom. Size MM (in)	Dimension(MM)	
		H1	L1
ALP 0020-1	15 (1/2")	30	33.5
ALP 0020-2	20 (3/4")	35	38.5
ALP 0020-3	25 (1")	40	44
ALP 0020-4	32 (1 1/4")	44	48
ALP 0020-5	40 (1 1/2")	55	59.5
ALP 0020-6	50 (2")	63	68
ALP 0020-7	80 (3")	64	105
ALP 0020-8	100 (4")	100	136




Screw Plug


ALP 0021

Code.	Nom. Size MM (in)	Dimension(MM)			
		L1	L2	L3	M(BSP)
ALP 0021-1	15 (1/2")	18	27	/	1/2"
ALP 0021-2	20 (3/4")	20	33	/	3/4"
ALP 0021-3	25 (1")	22	36	/	1"

FITTINGS
SS 141

	Code.	Nom. Size MM (in)	Dimension(MM)	
			S1	S2
	<i>ALP 0022-1</i>	80 (3")	65	37
	<i>ALP 0022-2</i>	100 (4")	85	37
	<i>ALP 0022-3</i>	150 (6")	105	37
	<i>ALP 0022-4</i>	150 (6")	/	/
	<i>ALP 0022-5</i>	300 (12")	/	/


SS174 Collar Bracket & Hot Dip

	Code.	Nom. Size MM (in)	Dimension(MM)		
			D	H1	L1
	<i>ALP 0023-1</i>	15 (1/2")	3.5	24	42.5
	<i>ALP 0023-2</i>	20 (3/4")	3.5	30	51
	<i>ALP 0023-3</i>	25 (1")	2.5	38	59
	<i>ALP 0023-4</i>	32 (1 1/4")	2.5	45.5	68

"U" Pipe Clip (Upvc)

	Code.	Nom. Size MM (in)	Dimension(MM)	
			S	D
	<i>ALP 0024-1</i>	10 (3/8")	22.5	5.5
	<i>ALP 0024-2</i>	15 (1/2")	26	4.5
	<i>ALP 0024-3</i>	20 (3/4")	27.5	4.5
	<i>ALP 0024-4</i>	25 (1")	34.5	4.5
	<i>ALP 0024-5</i>	32 (1 1/4")	40	4.5


"O" Pipe Clip

	Code.	Nom. Size MM (in)	Dimension(MM)	
			D	H
	<i>ALP 0025-1</i>	10 (3/8")H15MM	4.5	20
	<i>ALP 0025-2</i>	15 (1/2")H15MM	4.5	22
	<i>ALP 0025-3</i>	20 (3/4")H15MM	4.5	28.5
	<i>ALP 0025-4</i>	25 (1")H15MM	4	36
	<i>ALP 0025-5</i>	15 (1/2")H20MM	4.5	28.5
	<i>ALP 0025-6</i>	20 (3/4")H20MM	4.5	30
	<i>ALP 0025-7</i>	25 (1")H20MM	4	36

Round Base Shackle Clip

	Code.	Nom. Size MM (in)	Dimension(MM)	
			H2	H2
	<i>ALP 0026-1</i>	10 (3/8")H15MM	26	24
	<i>ALP 0026-2</i>	15 (1/2")H15MM	26	24
	<i>ALP 0026-3</i>	20 (3/4")H20MM	34	24
	<i>ALP 0026-4</i>	25 (1")H20MM	37	24
	<i>ALP 0026-5</i>			

Round Base Shackle Clip with Plug

	Code.	Nom. Size MM (in)	Dimension(MM)	
			D	H
	<i>ALP 0027-1</i>	10 (3/8")	5	21
	<i>ALP 0027-2</i>	15 (1/2")	5	25
	<i>ALP 0027-3</i>	20 (3/4")	5.5	30
	<i>ALP 0027-4</i>	25 (1")	4.5	33.5
	<i>ALP 0027-5</i>	32 (1 1/4")	5	39
	<i>ALP 0027-6</i>	15 (1/2") x 1"(Long)	/	/
	<i>ALP 0027-7</i>	20 (3/4") x 1"(Long)	/	/
	<i>ALP 0027-8</i>	25 (1") x 1"(Long)	/	/

Shackle Clip

FITTINGS


Soil, Waste and Vents Fitting. SS 213

	ALP 0028	
	Code	Nom. Size (mm):
	1	80 x 50
	2	100 x 50
	3	150 x 100


Double Reducing Junction 88° (F/F)

	ALP 0029	
	Code	Nom. Size (mm):
	1	40 x 32
	2	50 x 40
	3	80 x 40
	4	80 x 65
	5	100 x 65
	6	150 x 100
	7	50 x 32
	8	65 x 50
	9	80 x 50
	10	100 x 50
	11	100 x 80

Reducing Bush (M/F)

	ALP 0030	
	Code	Nom. Size (mm):
	1	40 x 32
	2	50 x 40
	3	80 x 50
	4	100 x 50
	5	100 x 80
	6	50 x 32
	7	65 x 50
	8	80 x 65
	9	100 x 65
	10	150 x 100

Level Invert Reducer (M/F)

	ALP 0031	
	Code	Nom. Size (mm):
	1	80 x 50 x 50 x 50 x 50 (F/F)
	2	80 x 50 x 50 x 50 x 50 (M/F)
	3	80 x 50 x 50 x 50 (F/F)
	4	80 x 50 x 50 x 50 (M/F)
	5	100 x 50 x 50 x 50 x 50 (F/F)
	6	100 x 50 x 50 x 50 x 50 (M/F)
	7	100 x 50 x 50 x 50 (F/F)
	8	100 x 50 x 50 x 50 (M/F)

Multi Boss Junction 88° (F/F) or (M/F) with I.O.

	ALP 0032	
	Code	Nom. Size (mm):
	1	80 x 50 x 50 x 50 x 50 (F/F)
	2	80 x 50 x 50 x 50 x 50 (M/F)
	3	80 x 50 x 50 x 50 (F/F)
	4	80 x 50 x 50 x 50 (M/F)
	5	100 x 50 x 50 x 50 x 50 (F/F)
	6	100 x 50 x 50 x 50 x 50 (M/F)
	7	100 x 50 x 50 x 50 (F/F)
	8	100 x 50 x 50 x 50 (M/F)

Multi Boss Junction 45° or (M/F) with I.O.

	ALP 0033	
	Code	Nom. Size (mm):
	1	80 x 50
	2	100 x 50

Double Junction 45° (F/F) with I.O.

	ALP 0034	
	Code	Nom. Size (mm):
	1	50 x 50
	2	80 x 80
	3	100 x 100

Double Junction 88° (F/F) with I.O.

	ALP 0035	
	Code	Nom. Size (mm):
	1	32
	2	40
	3	50
	4	65
	5	80

Double Junction 88° (F/F) with I.O.

	ALP 0036	
	Code	Nom. Size (mm):
	1	80 x 50
	2	100 x 50
	3	150 x 100

Double Reducing Junction 88° (F/F) with I.O.

	ALP 0037	
	Code	Nom. Size (mm):
	1	80 x 50
	2	100 x 50

Double Junction 45° (F/F)

	ALP 0038	
	Code	Nom. Size (mm):
	1	32
	2	40
	3	50
	4	65
	5	80
	6	100
	7	150

Bend 88° (F/F) with I.O.

	ALP 0039	
	Code	Nom. Size (mm):
	1	80 (F/F)
	2	80 (M/F)
	3	100 (F/F)
	4	100 (M/F)
	5	150 (F/F)
	6	150 (M/F)

Bend 15° (F/F) or (M/F)

	ALP 0040	
	Code	Nom. Size (mm):
	1	32
	2	40
	3	50
	4	65
	5	80
	6	100
	7	150

Bend 88° (F/F)

	ALP 0041	
	Code	Nom. Size (mm):
	1	32
	2	40
	3	50
	4	65
	5	80
	6	100
	7	150

Bend 45° (F/F)

FITTINGS

Soil, Waste and Vents Fitting. SS 213

ALP 0042		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	
5	80	
6	100	

B.S.P.F. Male Adaptor (Spigot Email)

ALP 0043		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	

B.S.P.F. Female Adaptor (Spigot Email)

ALP 0044		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	

B.S.P.F. Female Coupling

ALP 0045		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	
5	80	
6	100	
7	150	

Coupling (F/F)

ALP 0046		
Code	Nom. Size (mm):	
1	80 x 50	
2	100 x 50	
3	100 x 80	
4	150 x 100	

Reducing Junction 88° (F/F) with I.O.

ALP 0047		
Code	Nom. Size (mm):	
1	100 x 50 x 50	
2	100 x 50 x 50	
3	(Expansion)	

Junction 88° with (F/F) with Access

ALP 0048		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	
5	80	
6	100	
7	150	

Bend 45° (F/F) with I.O.

ALP 0049		
Code	Nom. Size (mm):	
1	10 x 50	

Bend 88° with Top Boss & I.O.

ALP 0050		
Code	Nom. Size (mm):	
1	32	
2	40	
3	50	
4	65	
5	80	
6	100	
7	150	

Junction 88° (F/F) with I.O.

ALP 0051		
Code	Nom. Size (mm):	
1	32 x 32	
2	40 x 40	
3	50 x 50	
4	65 x 65	
5	80 x 80	
6	100 x 100	
7	150 x 150	

Spigot Socket Bend 45° (M/F)

ALP 0052		
Code	Nom. Size (mm):	
1	50 x 50	
2	80 x 80	
3	100 x 100	

Double Junction 88° (F/F)

ALP 0053		
Code	Nom. Size (mm):	
1	32	
2	50	
3	80	
4	150	
5	100 x 50	
6	40	
7	65	
8	100	
9	80 x 50	

Junction 45° (F/F)

ALP 0054		
Code	Nom. Size (mm):	
1	32	
2	50	
3	80	
4	150	
5	100 x 50	
6	150 x 100	
7	40	
8	65	
9	100	
10	80 x 50	
11	100 x 80	

Junction (F/F)

ALP 0055		
Code	Nom. Size (mm):	
1	32	
2	50	
3	80	
4	150	
5	100 x 50	
6	40	
7	65	
8	100	
9	80 x 50	


Junction 45° (F/F) with I.O.

FITTINGS


PVC pipes and fittings come in "AE" (Drainage) and "AW" (Water) standards.

<i>ALP 0056</i>		Code	Available Measurements:	
	1	40 mm	1 1/2"	
	2	50 mm	2"	
	3	65 mm	2 1/2"	
	4	75 mm	3"	
	5	100 mm	4"	
	6	125 mm	5"	
	7	150 mm	6"	
	8	200 mm	8"	
	9	250 mm	10"	


AW Elbow 45*

<i>ALP 0057</i>		Code	Available Measurements:	
	1	13 mm	3/8"	
	2	16 mm	1/2"	
	3	20 mm	3/4"	
	4	25 mm	1"	
	5	30 mm	1 1/4"	
	6	40 mm	1 1/2"	
	7	50 mm	2"	
	8	65 mm	2 1/2"	
	9	75 mm	3"	
	10	100 mm	4"	
	11	125 mm	5"	
	12	150 mm	6"	
	13	200 mm	8"	
	14	250 mm	10"	


AW Elbow 90*

<i>ALP 0058</i>		Code	Available Measurements:	
	1	13 mm	3/8"	
	2	16 mm	1/2"	
	3	20 mm	3/4"	
	4	25 mm	1"	
	5	30 mm	1 1/4"	
	6	40 mm	1 1/2"	
	7	50 mm	2"	
	8	65 mm	2 1/2"	
	9	75 mm	3"	
	10	100 mm	4"	
	11	125 mm	5"	
	12	150 mm	6"	
	13	200 mm	8"	
	14	250 mm	10"	


AW Tee

<i>ALP 0059</i>		Code	Available Measurements:	
	1	20 x 16 mm	3/4" x 1/2"	
	2	25 x 16 mm	1"-W x 1/2"	
	3	25 x 20 mm	1"-W x 3/4"	
	4	40 x 16 mm	1 1/2" x 1/2"	
	5	40 x 20 mm	1 1/2" x 3/4"	
	6	40 x 25 mm	1 1/2" x 1"-W	
	7	50 x 16 mm	2" x 1/2"	
	8	50 x 20 mm	2" x 3/4"	
	9	50 x 25 mm	2" x 1"-W	
	10	50 x 40 mm	2" x 1 1/2"	
	11	65 x 40 mm	2 1/2" x 1 1/2"	
	12	65 x 50 mm	2 1/2" x 2"	
	13	75 x 40 mm	3" x 1 1/2"	
	14	75 x 50 mm	3" x 2"	
	15	75 x 65 mm	3" x 2 1/2"	
	16	100 x 40 mm	4" x 1 1/2"	
	17	100 x 50 mm	4" x 2"	
	18	100 x 75 mm	4" x 3"	
	19	150 x 75 mm	6" x 3"	
	20	150 x 100 mm	6" x 4"	
	21	200 x 100 mm	8" x 4"	
	22	200 x 150 mm	8" x 6"	

AW Reducing Tee

<i>ALP 0060</i>		Code	Available Measurements:	
	1	13 mm	3/8"	
	2	16 mm	1/2"	
	3	20 mm	3/4"	
	4	25 mm	1"	
	5	40 mm	1 1/2"	
	6	50 mm	2"	
	7	65 mm	2 1/2"	
	8	75 mm	3"	
	9	100 mm	4"	
	10	125 mm	5"	
	11	150 mm	6"	
	12	200 mm	8"	
	13	250 mm	10"	

AW Socket

<i>ALP 0061</i>		Code	Available Measurements:	
	1	16 x 13 mm	1/2" x 3/8"	
	2	20 x 13 mm	3/4" x 3/8"	
	3	20 x 16 mm	3/4" x 1/2"	
	4	25 x 20 mm	1"-W x 3/4"	
	5	40 x 16 mm	1 1/2" x 1/2"	
	6	40 x 20 mm	1 1/2" x 3/4"	
	7	50 x 16 mm	2" x 1/2"	
	8	50 x 20 mm	2" x 3/4"	
	9	50 x 40 mm	2" x 1 1/2"	
	10	65 x 40 mm	2 1/2" x 1 1/2"	
	11	65 x 50 mm	2 1/2" x 2"	
	12	75 x 25 mm	3" x 1"	
	13	75 x 40 mm	3" x 1 1/2"	
	14	75 x 50 mm	3" x 2"	
	15	75 x 65 mm	3" x 2 1/2"	
	16	100 x 40 mm	4" x 1 1/2"	
	17	100 x 50 mm	4" x 2"	
	18	100 x 75 mm	4" x 3"	
	19	150 x 75 mm	6" x 3"	
	20	150 x 100 mm	6" x 4"	
	21	200 x 100 mm	8" x 4"	
	22	200 x 150 mm	8" x 6"	
	23	250 x 200 mm	10" x 8"	


AW Reducing Socket

<i>ALP 0062</i>		Code	Available Measurements:	
	1	16 mm	1/2"	
	2	20 mm	3/4"	

Faucet Elbow 90*

<i>ALP 0063</i>		Code	Available Measurements:	
	1	16 mm	1/2"	
	2	20 mm	3/4"	
	3	25 mm	1"	

Faucet Tee

<i>ALP 0064</i>		Code	Available Measurements:	
	1	13 mm	3/8"	
	2	16 mm	1/2"	
	3	20 mm	3/4"	
	4	25 mm	1"	
	5	30 mm	1 1/4"	
	6	40 mm	1 1/2"	
	7	50 mm	2"	
	8	65 mm	2 1/2"	
	9	75 mm	3"	
	10	100 mm	4"	
	11	125 mm	5"	
	12	150 mm	6"	
	13	200 mm	8"	

AW Cap

FITTINGS

PVC pipes and fittings come in "AE" (Drainage) and "AW" (Water) standards.

ALP 0065



Code	Available Measurements:	
1	13 mm	3/8"
2	16 mm	1/2"
3	20 mm	3/4"

Faucet Socket

ALP 0066



Code	Available Measurements:	
1	13 mm	3/8"
2	16 mm	1/2"
3	20 mm	3/4"
4	25 mm	1"
5	30 mm	1 1/4"
6	40 mm	1 1/2"
7	50 mm	2"
8	65 mm	2 1/2"
9	75 mm	3"
10	100 mm	4"
11	150 mm	6"

Valve Socket

ALP 0067



Code	Available Measurements:	
1	40 mm	1 1/2"
2	50 mm	2"
3	65 mm	2 1/2"
4	80 mm	3"
5	100 mm	4"
6	150 mm	6"
7	200 mm	8"
8	250 mm	10"
9	300 mm	12"

10K Flange Socket


ALP 0068



Code	Available Measurements:	
1	50 mm	2"
2	75 mm	3"
3	100 mm	4"
4	150 mm	6"
5	200 mm	8"
6	50 x 40 mm	2" x 1 1/2"
7	75 x 50 mm	3" x 2"
8	100 x 50 mm	4" x 2"
9	100 x 75 mm	4" x 3"
10	150 x 75 mm	6" x 3"
11	150 x 100 mm	6" x 4"

AW Y Tee


ALP 0069



Code	Available Measurements:	
1	25 mm	1"
2	35 mm	1 1/4"
3	40 mm	1 1/2"
4	50 mm	2"
5	75 mm	3"
6	100 mm	4"
7	150 mm	6"

AW Long Bend

ALP 0070



Code	Available Measurements:	
1	25 mm	1"
2	35 mm	1 1/4"
3	40 mm	1 1/2"
4	50 mm	2"
5	75 mm	3"
6	100 mm	4"
7	150 mm	6"

AE Long Bend

ALP 0071



Code	Available Measurements:	
1	40 mm	1 1/2"
2	50 mm	2"
3	65 mm	2 1/2"
4	75 mm	3"
5	100 mm	4"
6	125 mm	5"
7	150 mm	6"
8	200 mm	8"
9	250 mm	10"
10	300 mm	12"

AE Elbow 45°

ALP 0072



Code	Available Measurements:	
1	40 mm	1 1/2"
2	50 mm	2"
3	65 mm	2 1/2"
4	75 mm	3"
5	100 mm	4"
6	125 mm	5"
7	150 mm	6"
8	200 mm	8"
9	250 mm	10"
10	300 mm	12"

AE Elbow 90°

ALP 0073



Code	Available Measurements:	
1	40 mm	1 1/2"
2	50 mm	2"
3	65 mm	2 1/2"
4	75 mm	3"
5	100 mm	4"
6	125 mm	5"
7	150 mm	6"
8	200 mm	8"
9	250 mm	10"

AE Tee

ALP 0074



Code	Available Measurements:	
1	50 x 40 mm	2" x 1 1/2"
2	75 x 50 mm	3" x 2"
3	100 x 40 mm	4" x 1 1/2"
4	100 x 50 mm	4" x 2"
5	100 x 75 mm	4" x 3"
6	150 x 75 mm	6" x 3"
7	150 x 100 mm	6" x 4"
8	200 x 100 mm	8" x 4"
9	200 x 150 mm	8" x 6"
10	250 x 150 mm	10" x 6"
11	250 x 200 mm	10" x 8"

AE Reducing Tee

ALP 0075



Code	Available Measurements:	
1	50 mm	2"
2	75 mm	3"
3	100 mm	4"
4	150 mm	6"
5	200 mm	8"
6	75 x 50 mm	3" x 2"
7	100 x 50 mm	4" x 2"
8	100 x 75 mm	4" x 3"
9	150 x 75 mm	6" x 3"
10	150 x 100 mm	6" x 4"
11	200 x 150 mm	8" x 6"

AE Y Tee

ALP 0076



Code	Available Measurements:	
1	65 mm	2 1/2"
2	75 mm	3"
3	100 mm	4"
4	125 mm	5"
5	150 mm	6"
6	200 mm	8"
7	250 mm	10"

AE Socket

ALP 0077



Code	Available Measurements:	
1	75 x 50 mm	3" x 2"
2	100 x 50 mm	4" x 2"
3	100 x 75 mm	4" x 3"
4	125 x 100 mm	5" x 4"
5	150 x 100 mm	6" x 4"
6	200 x 150 mm	8" x 6"
7	250 x 200 mm	10" x 8"

AE Reducing Socket